

ARRAY

14

MUCOSAL IMMUNE REACTIVITY SCREEN™



4 mL Oral
Fluid

Antigens Tested (IgA + IgM combined)

- Total Secretory IgA
- Lipopolysaccharides
- Occludin/Zonulin
- Actomyosin
- ASCA/ANCA
- Calprotectin
- Native + Deamidated Alpha-Gliadin-33-mer
- Gamma-Gliadin-15-mer
- Glutenin-21-mer
- Gluteomorphin
- Wheat Germ Agglutinin
- Transglutaminase-2
- Egg
- Soy
- Corn
- Alpha-Casein + Beta-Casein
- Casomorphin
- Aflatoxin
- Bisphenol-A
- Mercury
- Mixed Heavy Metals
- Rotavirus
- Myelin Basic Protein
- Blood-Brain Barrier Protein
- Immune Complex

Non-orderable for NDs in Ontario, Canada

CLINICAL USE:

- Evaluate mechanisms of compromised immune tolerance.
- Evaluate possible outcomes of compromised mucosal tolerance, such as: intestinal barrier dysfunction, food and chemical immune reactivity, and autoimmunity.

RECOMMENDED FOR PATIENTS WHO:

- Have chronic inflammatory bowel conditions.
- Have a family history of autoimmune disease.



www.JoinCyrex.com

©2020 Cyrex Laboratories, LLC. All Rights Reserved.

MUCOSAL IMMUNE REACTIVITY SCREEN™

